

8.0 REFERENCES

Biology

Ambrose, R.F., D.C. Reed, J.M. Engle, M.F. Caswell. 1989. California comprehensive offshore resource study. Summary of biological resources. State Lands Commission. Sacramento, California. 146 pp.

AMEC. 2003. Regional Beach Sand Project Year 2 (2002-2003) Post-Construction Monitoring Report for Intertidal, Shallow Subtidal, and Kelp Forest Resources. Report prepared for SANDAG. September 2003.Bellan-Santini, D., P.M. Arnaus, G. Bellan, and M. Verlaque. 1996. The influence of the introduced tropical alga *Caulerpa taxifolia*, on the biodiversity of the Mediterranean marine biota. J. Marine Biological Association of the United Kingdom 76: 235-237.

Boudouresque, C.F., A. Meinesz, M.A. Ribera, and E. Ballesteros. 1995. Spread of the green alga *Caulerpa taxifolia* (Caulerpales, Chlorophyta) in the Mediterranean: Possible consequences of a major ecological event. Scientia Marina 59 Suppl. 1: 21-29.

Briggs, J.C., 1974. Marine Zoogeography. McGraw-Hill, New York, 475 pp.

Bull, J.S., D C. Reed, and S J. Holbrook. 2004. An experimental evaluation of different methods of restoring *Phyllospadix torreyi* (surfgrass). Restoration Ecology 12: 70-79.

California Department of Fish and Game. 1993. Final Supplemental Environmental Document Ocean Sport Fishing Regulations, Spiny Lobster. The Resources Agency, State of California.

Chambers Group. 2000. Draft EIR/EIS for the Bolsa Chica Lowlands Restoration Project. California State Lands Commission, U.S. Fish and Wildlife Service, U.S. Army Corps of Engineers. State Clearinghouse Number 2000071068. July 2000.

Cooper, L.W. and C. P. McRoy, 1988. Anatomical adaptations to rocky substrates and surf exposure by the seagrass genus *Phyllospadix*. Aquatic Botany 32: 365-381.

Davis, N., and G.R. VanBlaricom. 1978. Spatial and temporal heterogeneity in a sand bottom epifaunal community of invertebrates in shallow water. Limnology and Oceanography 23: 417-428.

8.0 References

- Davis, N., G.R. VanBlaricom, and P.K. Dayton. 1982. Man-made structures on marine sediments: effects on adjacent benthic communities. *Marine Biology* 70: 295-303.
- Dayton, P.A. 1985. Ecology of kelp communities. *Annual Review of Ecology and Systematics* 16: 215-245.
- DeMartini, E.E. 1981. The spring-summer ichthyofauna of surfgrass (*Phyllospadix*) meadows near San Diego, California. *Bulletin of the Southern California Academy of Sciences* 80: 81-90.
- Devinn, J.S. and L.A. Volse. 1978. Effects of sediments on the development of *Macrocystis pyrifera* gametophytes. *Marine Biology* 48: 343-348.
- Deysher, L.E., R. Ayers, R. Grove, A. Jahn. 1995. GIS analysis of kelp canopy remote sensing data. *Proceedings of the Third Thematic Conference on Remote Sensing for Marine and Coastal Environments*. Seattle, Washington. pp. 700-708.
- Deysher, L.E. and T.A. Dean. 1984. Critical irradiance levels and the interactive effects of quantum irradiance and dose on gametogenesis in the giant kelp, *Macrocystis pyrifera*. *Journal of Phycology*. 20: 520-524.
- Dutton, P.H. and D. McDonald. 1990. Status of sea turtles in San Diego Bay. Sea World Research Institute. Technical Report No. 90-225. 17 pp.
- Dutton, P.H., S.K. Davis, D.L. McDonald, and T. Guerra. 1994. A genetic study to determine the origin of sea turtles in San Diego Bay, California. In B.A. Schroeder and B.E. Witherington (compilers). *Proceedings of the Thirteenth Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Tech. Memo. NMFS-SEFSC-341. 281 pp.
- Dunaway, M.E., R.A. Ambrose, J. Campbell, J.M. Engle, M. Hill, Z. Hymanson, and D. Richards. 1997. Establishing a Southern California rocky intertidal monitoring network. *In: California and the World Ocean '97 (O.T. Magooon, H. Converse, B. Baird, & M. Miller-Henson, eds.)* American Society of Civil Engineers, Reston, Virginia, pp. 1278-1294.
- EA Engineering, Science, and Technology. 1997. Encina Power Plant Supplemental 316(b) Assessment Report. Final Report. Prepared for San Diego Gas & Electric.

Engle, J.M., and D. Farrar. 1999. Rocky intertidal resource dynamics in San Diego County: Cardiff, LaJolla, and Point Loma, Second Year Report (1998/1999). Report prepared for U.S. Navy, Southwest Division, Naval Facilities Engineering Command, San Diego CA.

Fager, E.W. 1968. A sand-bottom epifaunal community of invertebrates in shallow water. Limnology and Oceanography 13: 448-464.

Foster. M.S., and D.R. Schiel. 1985. The ecology of giant kelp forests in California: a community profile. US Fish and Wildlife Service Biological Report 85 (7.2).

Fritzsche, R.A., R.H. Chamberlain, and R.A. Fisher. 1985. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest) – California grunion. U.S. Fish and Wildlife Service. Biological Report 82(11.28) U.S. Army Corps of Engineers, TR EL-82-4. 12 pp.

Glantz, D. 2001. Personal Communication on August 14, 2001.

Hofman Planning Associates. 2001. Marine Biological Investigations. Jetty Restoration Biological Team. 30 pp.

Hobday, A.J., and M.J. Tegner. 2000. Status Review of White Abalone (*Haliotis sorenseni*) throughout its range in California and Mexico. NOAA Technical Memorandum. NOAA-TM-NMFS-SWR-035. 90pp.

Jaubert, J.M., J.R.M. Chisholm, D. Ducrot, H.T. Ripley, L. Roy and G. Passeron-Seitre. 1999. No deleterious alterations in Posidonia beds in the Bay of Menton (France) eight years after *Caulerpa taxifolia* colonization. Journal of Phycology 35: 1113-1119.

Jousson, I., J. Pawlowski, L. Zaninetti, F.W. Zechman, F. Dini, G. DiGuiseppe, R. Woodfield, A. Millar, A. Meinesz. 2000. Invasive alga reaches California. Nature 408: 9.

Leet, W.S., C.M. Dewees, and C.W. Haugen. 1992. California's living marine resources and their utilization. California Sea Grant Extension Publication UCSGEP-92-12. 257 pp.

McDonald, D., P. Dutton, and K. Merkel. 1994. Review of the green turtles of South San Diego Bay in relation to the operations of the SDG&E South Bay Power Plant. Doc 94-045-01. Prepared for San Diego Gas & Electric Company. San Diego, CA.

8.0 References

McGowan, J.A. 1971. Oceanic biogeography of the Pacific. In: Funnell, B.M. and W.R Riedel (eds.). *The Micropaleontology of Oceans*. Cambridge University Press, Cambridge. p. 3-74.

MEC Analytical Systems, Inc. 2000. Appendix D to the SANDAG Regional Beach Sand Project EIR/EA. Evaluation of impacts to marine resources and water quality from dredging of sands from offshore borrow sites and beach replenishment. Prepared for KEA Environmental, Inc.

MBC Applied Environmental Sciences. 2001. Status of the Kelp Beds 2000 – 2001 Survey. Report prepared for the San Diego County – Region Nine Kelp Consortium. November 2001. 10 pp.

MBC Applied Environmental Sciences. 2004. Status of the Kelp Beds 2002. Presentation for the San Diego County – Region Nine Kelp Consortium. 2002 - 2003 Survey. Prepared for the California Regional Water Quality Control Board San Diego Region. January 2004. 12 pp.

Meinesz, A., J. de Vaugelas, B. Hesse, and X. Mari. 1993. Spread of the introduced tropical green alga *Caulerpa taxifolia* in the northern Mediterranean Sea. *Journal of Applied Phycology* 5: 141-147.

Merkel, K. and R. Woodfield. 2003. Eradication and Surveillance of *Caulerpa taxifolia* within Agua Hedionda Lagoon, Carlsbad, California. Second Year Status Report. Prepared for: Steering Committee of the Southern California *Caulerpa* Action Team.

Merkel & Associates. 2000. Pre-dredge eelgrass survey (August 2000) Encina Power Station, Agua Hedionda dredging project at Agua Hedionda Lagoon (Outer Lagoon), Carlsbad, CA. Report prepared for Cabrillo Power I LLC. September 27, 2000.

Merkel & Associates. 2001. Post-dredge eelgrass survey (April 2001) Encina Power Station, Agua Hedionda dredging project at Agua Hedionda Lagoon (Outer Lagoon), Carlsbad, CA. Report prepared for Cabrillo Power I LLC. May 22, 2001.

Merkel and Associates. 2002a. Agua Hedionda Lagoon *Caulerpa taxifolia* Eradication Program. Spring 2002 Report.

Merkel and Associates. 2002b. Agua Hedionda Lagoon *Caulerpa taxifolia* Eradication Program. Summer 2002 Report.

Merkel and Associates. 2002c. Agua Hedionda Lagoon *Caulerpa taxifolia* Eradication Program. Fall 2002 Report.

Merkel and Associates. 2003a. Agua Hedionda Lagoon *Caulerpa taxifolia* Eradication Program. Spring 2003 Report.

Merkel and Associates. 2003b. Agua Hedionda Lagoon *Caulerpa taxifolia* Eradication Program. Summer 2003 Report.

Merkel and Associates. 2004a. Agua Hedionda Lagoon *Caulerpa taxifolia* Eradication Program. Summer 2004 Report.

Merkel & Associates. 2004b. Pre-dredge eelgrass survey (September 2004) Encina Power Station, Agua Hedionda dredging project at Agua Hedionda Lagoon (Outer Lagoon).

Morin, J.G., J.E. Kastendiek, A. Harrington and N. Davis, 1985. Organization and patterns of interaction in a subtidal sand community on an exposed coast. *Marine Ecology Progress Series* 27: 163-185.

National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1998. Recovery Plan for U.S. Pacific populations of the East Pacific Green Turtle (*Chelonia mydas*). National Marine Fisheries Service, Silver Spring, MD.

Obrien, P.Y., and M.M. Littler. 1977. Biological features of rocky intertidal communities at Coal Oil Point, Santa Barbara County, California. In: M.M. Littler (editor). *Spatial and temporal variations in the distribution and abundance of rocky intertidal and tidepool biotas in the Southern California Bight*. Bureau of Land Management, U.S. Department of the Interior, Washington, D.C. p. 317-405.

Oliver, J.S. 1980. Processes affecting the organization of marine soft-bottom communities in Monterey Bay, California and McMurdo Sound Antarctica. PhD Dissertation, University of California, San Diego.

Patton, M.L., C.F. Valle, and R.S. Grove. 1994. Effects of bottom relief and fish grazing on the density of giant kelp, *Macrocystis*. *Bulletin of Marine Science* 55: 631-644.

Plotkin, P.T. 1995. National Marine Fisheries Service and U.S. Fish and Wildlife Service Status Reviews for Sea Turtles Listed under the Endangered Species Act of 1973. National Marine Fisheries Service. Silver Spring, MD.

8.0 References

- Project Pacific. 2001. Web site URL. <http://www.projectpacific.org/grunion.html>
- Ramirez, G.P., A. Lot, C.M. Duarte, J. Terrados, and N.S.R. Agawin. 1998. Bathymetric distribution, biomass and growth dynamics of intertidal *Phyllospadix scouleri* and *Phyllospadix torreyi* in Baja California (Mexico). Marine Ecology Progress Series 173: 13-23.
- Reed, D.C., S. J. Holbrook, E. Solomon, M. Anghera. 1998. Studies on germination and root development in the surfgrass *Phyllospadix torreyi*: implications for habitat restoration. Aquatic Botany 62: 71-80.
- SANDAG. 2000. Final Environmental Impact Report for the San Diego Regional Beach Sand Project. San Diego Association of Governments. State Clearinghouse Number 1999041104. June 2000.
- SCE. 1982. Southern California Edison 316(b) Demonstration. Technical Appendix. Prepared for California Regional Water Quality Control Board - Los Angeles, San Diego, and Santa Ana Regions.
- SCE. 2003. Southern California Edison SONGS NPDES 2002 Annual Receiving Water Monitoring Report. Prepared for California Regional Water Quality Control Board - San Diego Region.
- Stewart, J.G. 1989. Maintenance of a balanced, shifting boundary between the seagrass *Phyllospadix* and algal turf. Aquatic Botany 33: 223-241.
- Stewart, J. 1991. Marine algae and seagrasses of San Diego County. California Sea Grant Report No. T-CSGCP-020.
- Stinson, M.L. 1984. Biology of Sea Turtles in San Diego Bay, California and in the Northeastern Pacific Ocean. Master of Science thesis. San Diego State University. 578 pp.
- Tegner, M.J., and R.A. Butler. 1985. The survival and mortality of seeded and native red abalones, *Haliotis rufescens*, on the Palos Verdes Peninsula. California Fish & Game 71: 150-163.
- Williams, S.L. 1995. Surfgrass (*Phyllospadix torreyi*) reproduction: reproductive phenology, resource allocation, and male rarity. Ecology 76:1953-1970.

Hydrology and Water Quality

Elwany, M. H. S., A. L. Lindquist, R. E. Flick, W. C. O'Reilly, J. Reitzel, and W. A. Boyd, 1999. Study of Sediment Transport Conditions in the Vicinity of Agua Hedionda Lagoon, Vol I: Technical Report, Center for Coastal Studies, Scripps Institution of Oceanography, SIO Ref No. 00-07.

Elwany, M. H. S., 2001. White Paper.

Hofman Planning Associates, 2000. Agua Hedionda North Jetty Extension San Diego County, California. Drawings (3 sheets).

Jenkins S. A and J. Wasyl, 1998. Coastal Process Analysis of Maintenance Dredging Requirements for Agua Hedionda Lagoon. October 26, 1998.

San Diego Association of Governments (SANDAG) 2000. San Diego Regional Beach Sand Project. Draft Environmental Impact Report. March 2000.

State Lands Commission, 2000. Supplemental and Supporting Information for the proposed Northern Inlet Jetty Restoration at Agua Hedionda Lagoon. November 6, 2000.

White Paper, 2001. Jetty Restoration Project at Agua Hedionda Lagoon, April 2001.